



Consolidated Edison (ConEd) Approved Enclosed Controls Products

Part of Milbank’s Enclosed Controls line, Milbank Express (ME) is designed to be modular, off-the-shelf solutions for simple lighting, traffic, EV, and general distribution applications. Milbank Express product is available in the exposed meter design as required by Consolidated Edison. Additional components such as breakers, contactors and time clocks can be sourced through Milbank or purchased through a local distributor. Please confirm with the governing agency if applicable, to ensure their acceptance of this product configuration prior to purchase. Milbank personnel and representatives are available to help select correct configurations should you need assistance.

Stocked Products

Exposed Meter Equipment | Ringless Lever Bypass

| Sales Part Number | Pedestal Size and Color | Amps | Voltage | Phase | Meter Config | Distribution Description |
|----------------------|------------------------------------|------|---------|-------|---|---|
| CP3BP5421122APME01 | CP3B-P Aluminum ANSI 61 Gray | 100A | 240V | 1Ø | Ringless Lever Bypass 5th Terminal @ 9 o'clock | 100A Main Circuit Breaker with 16-Circuit Load Center |
| CP3BP5422122APME01 | | 200A | 240V | 1Ø | | 200A Main Circuit Breaker with 24-Circuit Load Center |
| CP3BP5421122APSLME01 | | 100A | 240V | 1Ø | | 100A Main Circuit Breaker with Two 16-Circuit Load Centers in a Switch-Load Configuration |
| CP3BP5422122APSLME01 | | 200A | 240V | 1Ø | | 200A Main Circuit Breaker with Two 16-Circuit Load Centers in a Switch-Load Configuration |
| CP3BR5552114APME01 | CP3B-R Aluminum ANSI 61 Gray | 200A | 480V | 3Ø | Ringless Lever Bypass 7 Terminals | 200A Main Circuit Breaker with 30-Circuit Panel Board |



Consolidated Edison (ConEd) Approved Enclosed Controls Products

Components

Metering

| Sales Part Number | Description | Brand | Notes |
|-------------------|--|---------|-----------------------|
| K3865 | Fifth Terminal for Test Block Bypass Sockets | Milbank | Ringless Sockets Only |

Surge Protection

| Sales Part Number | Description | Brand | Notes |
|-------------------|----------------------|-------|------------------|
| ME-DS72US-120T/NN | 240/120 1PH 75kA SPD | Citel | Din Rail Mounted |
| DS74US-120Y | 208/120 3PH 75kA SPD | Citel | Din Rail Mounted |

Photo Controls

| Sales Part Number | Description | Brand | Notes |
|-------------------|--|-----------------|-------|
| CP-PE-HOA-3POS | Pe Control Kit 1-Hoa Switch 3 Position | Milbank/ Varied | |
| CP-PE-TYP5-2POS | Pe Control Kit 1-Hoa Switch 2 Position | Milbank/ Varied | |
| ME-EK4536 | Photo Cell- LED compatible | Intermatic | |

Time Clocks

| Sales Part Number | Description | Brand | Notes |
|-------------------|---|------------|-------------------------------------|
| ME-ET2125CP | 24-Hour Timeclock I 2-Channel Control | Intermatic | Exposed Meter Only |
| ME-ET2725CP | 7-Day Timeclock I 2-Channel Control | Intermatic | Exposed Meter Only |
| ME-ET2825CP | Astronomical Timeclock 12-Channel Control | Intermatic | Exposed Meter Only |
| ME-FINDER-1CH | Astro 1-Channel Control | Finder | Small Footprint Bluetooth Capable |
| ME-FINDER-2CH | Astro 2-Channel Control | Finder | Small Footprint Bluetooth Capable |

Contactors

| Sales Part Number | Description | Brand | Notes |
|-------------------|----------------------------|----------|-------|
| ME-LCE00C002120A | CTNR 2P 30A EXP 12P | Siemens | |
| ME-49LCP2A | CTNR 2P 30A Plug-On Module | Siemens | |
| ME-LO40V04 | Contactors | Square D | |

Circuit Breakers | Plug-On Load Center 10kAIC Rated

| Sales Part Number | Description | Brand | Notes |
|-------------------|-------------------|---------|-------|
| ME-Q110 | CB IP 10A 10K LC | Siemens | |
| ME-Q115 | CB IP 15A 10K LC | Siemens | |
| ME-Q120 | CB IP 20A 10K LC | Siemens | |
| ME-Q130 | CB IP 30A 10K LC | Siemens | |
| ME-Q220 | CB 2P 20A 10K LC | Siemens | |
| ME-Q230 | CB 2P 30A 10K LC | Siemens | |
| ME-Q240 | CB 2P 40A 10K LC | Siemens | |
| ME-Q250 | CB 2P 50A 10K LC | Siemens | |
| ME-Q260 | CB 2P GOA 10K LC | Siemens | |
| ME-Q270 | CB 2P 70A 10K LC | Siemens | |
| ME-Q280 | CB 2P 80A 10K LC | Siemens | |
| ME-Q2100 | CB 2P 100A 10K LC | Siemens | |
| ME-Q2125 | CB 2P 125A 10K LC | Siemens | |



Consolidated Edison (ConEd) Approved Enclosed Controls Products

Circuit Breakers | Plug-On Load Center 10kAIC Rated

| Sales Part Number | Description | Brand | Notes |
|-------------------|-------------------|---------|-------|
| ME-Q115H | CB IP 15A 22K LC | Siemens | |
| ME-Q120H | CB IP 20A 22K LC | Siemens | |
| ME-Q130H | CB IP 30A 22K LC | Siemens | |
| ME-Q220H | CB 2P 20A 22K LC | Siemens | |
| ME-Q230H | CB 2P 30A 22K LC | Siemens | |
| ME-Q240H | CB 2P 40A 22K LC | Siemens | |
| ME-Q250H | CB 2P 50A 22K LC | Siemens | |
| ME-Q260H | CB 2P GOA 22K LC | Siemens | |
| ME-Q270H | CB 2P 70A 22K LC | Siemens | |
| ME-Q280H | CB 2P 80A 22K LC | Siemens | |
| ME-Q2100H | CB 2P 100A 22K LC | Siemens | |
| ME-Q2125H | CB 2P 125A 22K LC | Siemens | |

Circuit Breakers | Bolt on Panelboard 14kAIC rated

| Sales Part Number | Description | Brand | Notes |
|-------------------|-------------------|---------|-------|
| ME-BQD115 | CB IP 15A 14K PB | Siemens | |
| ME-BQD120 | CB IP 20A 14K PB | Siemens | |
| ME-BQD215 | CB 2P 15A 14K PB | Siemens | |
| ME-BQD220 | CB 2P 20A 14K PB | Siemens | |
| ME-BQD230 | CB 2P 30A 14K PB | Siemens | |
| ME-BQD240 | CB 2P 40A 14K PB | Siemens | |
| ME-BQD250 | CB 2P 50A 14K PB | Siemens | |
| ME-BQD260 | CB 2P GOA 14K PB | Siemens | |
| ME-BQD270 | CB 2P 70A 14K PB | Siemens | |
| ME-BQD280 | CB 2P 80A 14K PB | Siemens | |
| ME-BQD290 | CB 2P 90A 14K PB | Siemens | |
| ME-BQD2100 | CB 2P 100A 14K PB | Siemens | |
| ME-BQD340 | CB 3P 40A 14K PB | Siemens | |
| ME-BQD350 | CB 3P 50A 14K PB | Siemens | |
| ME-BQD360 | CB 3P GOA 14K PB | Siemens | |
| ME-BQD370 | CB 3P 70A 10K PB | Siemens | |
| ME-BQD380 | CB 3P 80A 14K PB | Siemens | |
| ME-BQD390 | CB 3P 90A 14K PB | Siemens | |
| ME-BQD3100 | CB 3P 100A 14K PB | Siemens | |