




**MILBANK**<sup>®</sup>  
ENERGY AT WORK

## L573-XL-KK-CECHA



|                               |   |                           |  |
|-------------------------------|---|---------------------------|--|
| Catalog Number                | L573-XL-KK-CECHA  | Mounting                  | Surface Mount                                |
| Marketing Product Description | 4 Terminal Ringless Small Closing Plate Horn Bypass<br>3 Position Commonwealth Edison Chicago Housing Authority | Enclosure                 | G90 Galvanized Steel with Powder Coat Finish |
| UPC                           | 784572114364  | Jaw Quantity              | 4 Terminal                                   |
| Length (IN)                   | 4.5   | Bypass Type               | Horn Bypass                                  |
| Width (IN)                    | 28.5  | Number of Meter Positions | 3 Positions                                  |
| Height (IN)                   | 16  | Equipment Ground          | Ground Lug                                   |
| Brand Name                    | Milbank   | Hub Opening               | Small Closing Plate                          |
| Type                          | Ringless Meter Socket   | Line Side Wire Range      | 6 AWG - 350 kcmil                            |
| Application                   | Meter Socket  | Load Side Wire Range      | 6 AWG - 350 kcmil                            |
| Standard                      | UL Listed;Type 3R   | Number Of Receptacles     | 0  |
| Voltage Rating                | 300 Volts Alternating Current   |                           |  |
| Amperage Rating               | 100 Continuous Ampere   |                           |  |
| Phase                         | 1 Phase   |                           |  |
| Frequency Rating              | 60 Hertz  |                           |  |
| Size                          | 4.5L x 28.5W x 16H  |                           |  |
| Number Of Cutouts             | 0   |                           |  |
| Cutout Size                   | No Main Breaker   |                           |  |
| Cable Entry                   | Overhead or Underground   |                           |  |
| Terminal                      | Lay in  |                           |  |
| Insulation                    | Glass Polyester   |                           |  |

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.